ALI/2010/20/E-1
கேறை டு கிறிவரி ආළවරකි / முழுப் பதிப்புரிமையுடையது / All Rights Reserved]
දි ලංකා විභාග දෙපාර්තමේන්තුව ලි ලංකා විභාග දෙපාර්තමේන් ලංකා මහායා ලෙසාර්තමේන්තුව ්දෙපාර්තමේන්තුව ලි ලංකා විභාග දෙපාර්තමේන්තු මාණයානය ප්රධානය සිතුන් සහ ප්රධානය සිතුන් සිතුන් සහ ප්රධානය සිතුන් සි
අධායන පොදු සහනික පනු (උසස් පෙළ) විභාගය, 2016 අගෝස්තු கஸ்விப் பொதுத் தராதரப் பத்திர (உயர் தர)ப் பரீட்சை, 2016 ஓகஸ்ர் General Certificate of Education (Adv. Level) Examination, August 2016
තොරතුරු හා සන්නිවේදන තාක්ෂණය I தகவல், தொடர்பாடல் தொழினுட்பவியல் I Information & Communication Technology I
Instructions: * Answer all the questions. * Write your Index Number in the space provided in the answer sheet. * Instructions are also given on the back of the answer sheet. Follow those carefully. * In each of the questions 1 to 50, pick one of the alternatives from (1), (2), (3), (4), (5) which is correct or most appropriate and mark your response on the answer sheet with a cross (x) in accordance with the instructions given on the back of the answer sheet. * Use of calculators is not allowed.
 Which of the following statements is true? The first generation of computers were built using transistors. Electronic Numerical Integrator And Computer (ENIAC) is a second generation computer. Ada Lovelace is the inventor of the Analytical Engine. Alan Turing is considered as the first computer programmer. The first calculating device is believed to be the Abacus.
2. Which of the followings is a component of a Central Processing Unit (CPU)? (1) ROM (2) RAM (3) ALU (4) L3 Cache memory (5) Power supply unit
3. Which of the following binary numbers is equivalent to 109_{10} ?
(1) 1100100_2 (2) 1101101_2 (3) 1001101_2 (4) 1101001_2 (5) 1101100_2
 Consider the following description/definition list, rendered by a web browser: Zigzag Moving with sharp turns. Back and forth Moving side to side. Round and round
Moving in a circle. Which of the following answers contains all the HTML tags required to create the above list? (1) <dl>, <dt> only (2) , only (3) , only (3) only (4) </dt></dl>
(4) <dl>, only (5) <dl>, <dt> only</dt></dl></dl>
5. The content stored in is read by using the optical technology. Which of the following answers is the most appropriate to fill the blank in the above statement? (1) flash memory (2) floppy disk (3) magnetic tape (4) compact disc (5) hard disk
6. In modern computers, multiple levels of cache memory is used to optimize the performance. Among them the
7. $101_{16} + 110_{8} =$ (1) 429_{10} (2) 1011_{10} (3) 329_{10} (4) 529_{10} (5) 137_{10}


ALL ACTORES.	i dies another
8. In an operating system, suspending the currently executing proc	ess and then resuming or starting another
process is termed as (1) process (2) context switching.	(3) swapping.
(1) paging. (5) blocking.	18.7
9. In modern operating systems, the scheduler determin	es the transition of processes from the new
9. In modern operating systems, the	
state to the ready state. Which of the followings is the correct term to fill the blank in t	the above statement?
(1) mid-term	
(4) very short-term (5) short-term	ill.
10. Consider the following statements:	19%
	s'e own
P - Plagiarism means claiming someone cise's creaming	1
C - Piracy is a synonym for plagiarism. Which of the above statements is/are correct?	an Died Conty
(1) A only (2) B only (3) C only (4)	A and B only (5) B and C only
(I) It om	al gates:
11. Consider the following logic circuit implemented using universal	81
1007) 192 9
2 50-	
1	
The above circuit is equivalent to a/an	- PA
	NAND Gate. (5) NOR Gate.
(1) NOI Gate. (2) 11.12	ted as 16 hit values."
12. "An analog signal is sampled at regular intervals and represen	nent?
Which of the followings is best described by the above staten (1) Amplitude Modulation (AM) (2) Frequency (3) Phase Modulation (AM)	
(1) Amplitude Modulation (AM) (3) Pulse Code Modulation (PCM) (4) Phase Mo	odulation (PM)
(5) Pulse Width Modulation (PWM)	
11 11 ID addresses 192 248 16 30 and 192 248	.16.90 are connected to a Local Area Network
(I AN) Which of the followings is a suitable subject mask to	r this network? (3) 255.255.255.224
(1) 192.255.255.255 (2) 192.248.16.0	(3) 255.255.255.224
(4) 255.255.255.128 (5) 255.255.255.255	76
14. Which of the followings is true about e-commerce?	
	information system
(1) It could be a part of e-business. (2) It helps to combine multiple business processes into a single (3) It is a collection of platforms created for business and their	customers to interact.
(3) It is a collection of platforms created for business and then (4) www.google.com is a popular e-commerce web site.	
(5) There are no Sri Lankan companies doing e-commerce yet.	11.2
272	
15. Consider the following statements:A - HTML forms can be used to submit data.	L. Practical designation of the control of the cont
B - HTMI forms can be used to retrieve data.	· · · · · · · · · · · · · · · · · · ·
C - HTML forms can be placed inside another form.	
Which of the above statements is/are correct?	A and B only (5) B and C only
(1) A only (2) B only (3) C only (4)	
16. A/An is an image with clickable sub-area	as.
Which of the followings is the most appropriate to in the	idilk iii tile deci-
(1) Image button (2) Image map	(3) Anchor
(4) Icon (5) Thumbnail	
17. Which of the following is a valid CSS rule?	(3) p { text-color: "red";}
(1) p { color: red;} (2) p { color = red;}	(5) p { text-color. lod , ,
(1) p { color: led;} (4) p { text-color = red;} (5) p { text-color: red;}	[See page thre

AL/2016/20/E-I;	-3-		4586
18. Which of the following	is a correct IPv4 address?		
(1) 192.248.0 0.1	(2) 192.258.2.1	(3) 8.8.8.8	
(4) 10.256.8.9	(5) 255.255.255.268		
19. User Datagram Protocol	(UDP) is a layer pro	otocol	
Which of the following	layers is the most suitable to fi	Il the blank in the above stat	tement?
(1) physical (2)	data link (3) network	(4) transport (5) app	
20. Consider the following	statements regarding routing in I	TOTAL TELEVISION OF THE STATE O	
A - All routers must u	se a DNS server for IP packet i	forwarding	
B - Routers must forw	ard all receiving IP packets alon	g the same path	
C - A router may disca	ard an IP packet.	Panni	
Which of the above stat			
(1) A only (4) A and B only	(2) B only	(3) C only	
	(5) B and C only		
21. Consider the following s	system implementation methods:		
	Phase C - Parallel		
(1) A only (2) I	thods can be recommended to in 3 only (3) C only	nplement an emergency call h	andling system?
		(4) A and B only (5) A a	
22. In a public key cryptog	raphic system, the private key of	f a person x is given by the	function priv(x) and
the public key is given	by the function pub(x).		
Consider the following s	tatements:		
B - A message encrypt	should be the same for better s	ecurity.	
C - The person x know	ed using pub(x) can be decrypted vs both priv(x) and pub(x).	d using pub(x).	
Which of the above state	ements is/are correct?	:00	
(1) A only	(2) C only	(3) A and B only	
(4) A and C only	(5) B and C only	(5) A and B only	
23. Local Area Network (LA	N) has 500 network devices. W	That is all	
computer network?	aty has soo hetwork devices. W	mat is the most appropriate	subnet mask for this
(1) 255.255.255.0	(2) 255.255.255.128	(3) 255.255.255.192	
(4) 255.255.255.224	(5) 255.255.254.0	0 (0, 200, 200, 100	
4. Consider the following sta	atements about compilers and inte		
A - Compilers/interprete	ers are not required to execute a	program written in assemble	languages:
B - Compilers are not e	ssential to execute a program in	machine code	y language.
 C - An executable progr 	am is translated into a source pro	ogram by a compiler.	
Which of the above stater	nents is/are correct?	+	
(1) A only	(2) B only	(3) C only	
(4) A and B only	(5) B and C only		
5. A web browser running on a	a client computer A renders a web p	page in a web server running on	a computer B. Which
of the following is not a fac	tor that affects the speed of renderi	ng?	a compater B. Which
(1) Size of images in the		ber of colours in the web pag	ge
(3) Speed of the client co	omputer (4) Effici	ency of the web browser soft	tware
(5) Number of users in the	ie network		
6. Consider the following sta	tements about Dynamic Random	Access Memory (DRAM):	
A - Periodic refreshing i	s required for DRAM.		
B - Registers in the pro	cessor are made of DRAMs.		
Which of the above stater	DRAM is higher than that of sta	atic RAM.	
(1) A only	(2) B only	(2) A and B anh	
(4) A and C only	(5) B and C only	(3) A and B only	
7		Miles Additional Section 1	
the above statement?	anizations perform their duties fro	om home." Which of the follow	wings best describes
(1) Social networking	(2) Telecommuting	(2) Instant massacing	2 5 1 m
(4) Office automation	(5) Blogging	(3) Instant messaging	1
17.17	(-) DD-115		

- 28. Consider the following statements about flowcharts:
 - A A flowchart is a pictorial representation of an algorithm.
 - B A flowchart may have more than one 'stop' or 'end' termination symbols.
 - C Algorithms can be represented only by using flowcharts.

Which of the above statements is/are correct?

- (1) A only
- (2) B only
- (3) C only
- (4) A and B only (5) B and C only
- 29. The algorithm represented by the following flowchart reads 5 numbers and prints the sum of them.



In order to execute the above flowchart correctly, A and B should be replaced by respectively. Which of the followings is suitable to fill the blank in the above statement?

- (1) i = 0 and $i \le 5$
- (2) i = 1 and i = 5
- (3) i = 0 and i > 5

- (4) i = 1 and $i \le 5$
- (5) i = 1 and $i \ge 5$
- 30. Which of the following Python programs computes the sum of five given integers?
- (1) i = 1 tot = 0 while i > 5: x = int(input()) tot = tot + x
 - i = i + 1
 - print(tot)
- (3) i = 1 tot = 0 while i == 5: x = int(input()) tot = tot + x
- i = i + 1print(tot)
- (5) i = 0 tot = 0 while i <= 5: x = int(input()) tot = tot + x
 - i = i + 1print(tot)

- (4) i = 0 tot = 0 while i > 5: x = int(input()) tot = tot + x i = i + 1 print(tot)


31. Consider the following Python statement:

temp = [23,45,2,-2,0][:2:]

What would be the value of the variable temp after executing the above statement?

- (1) 23,45
- (2) [23,45]
- (3) 23,2
- (4) [23,2]
- 32. Which of the following statements is an example for an essential non-functional requirement of an Internet banking system?
 - (1) System shall facilitate its users to open accounts.
 - (2) System shall facilitate its users to check account balance.
 - (3) System shall use a 256-bit encryption for all communications.
 - (4) System should facilitate its users to order cheque books.
 - (5) System should be able to render information on all popular web browsers.
- 33. Which of the following is the most appropriate example for a manual temporary data store?
 - (1) A file tray
- (2) A cardboard file
- (3) A file cabinet

- (4) A data file in a hard disk (5) A temporary data file in a hard disk
- 34. Which of the following high-level data flow diagrams is correct with respect to the rules on data flow modelling?



- 35. Which of the following statements is correct with respect to a scanner?
 - (1) A scanner is a software which scans a printed document and converts them into digital images.
 - (2) A scanner is an output device of a computer.
 - (3) The optical character reader (OCR) software is an essential component of a scanner.
 - (4) A scanner is an input device of a computer.
 - (5) Scanners are used to store moving pictures in digital form.
- Consider the following relation to answer questions 36 and 37: book (BN, title, publisher, version, author1, author2, author3) where BN is a unique code.
- 36. Which of the following statements is correct with respect to the above relation?
 - (1) It is in zero normal form.
- (2) It is in the 1st normal form. (4) It is in the 3rd normal form.
- (3) It is in the 2nd normal form.
- (5) Its normal form cannot be decided.
- (1) BN
- 37. Which of the followings can be a candidate key of the above relation? (2) publisher
 - (3) version
- (4) author1
- (5) author2

U.

				11.5	
38.	Which of the followings is correct with	respect to the ter	m 'domain' in a	relational database?	
	(1) It is a set of possible names for a	table.		3	
	(2) It is a set of possible names for an	attribute.		4 3%	
	(3) It is the collection of all possible p	orimary keys.		1.0	
	(4) It is the set of all possible values (of an attribute.		1	
	(5) It is the collection of foreign keys.				
272		omonto io exptecti	cally incorrect?		
39.	Which of the following Python code se		(2)	if $x > 10$:	
	(1) if $x > 0$: (2)		(3)	y = 1	
	y = 2	y = 2		elseif $x > 5$:	
		else:		y = 2	
		y = 3		y - 2	
	(5)	if $x > 10$:			
	(4) if $x > 10$: (5)	y = 1		F	
	y = 1	else:			
	elif $x > 5$:	if $x > 5$:		15	A GAR
	y = 2	y = 2			
	else:	else:		id	
	y = 3	y = 3		i i	
40.	. Consider the following Python program	segment:			
	d1 = "(1,2,3)"			100	
	d2 = (1,2,3)			178	
	d3 = [1,2,(1,2)]	\'A	1	P. 38	
ľ	What would be the types of variables d1	, d2 and d3 respec	tively after the ex	ecution of the program	segment?
	(1) tuple, tuple, tuple (2) str	ing, tuple, tuple	(3) char	tuple, list	
		ole, tuple, list		13	
	(.,			413	
41.	. Which of the following Python stateme	ents is syntactically	incorrect?		
		= b = 1, 2	(3) a =	1,, 2	
	(4) a, b = 2, (3, 5) (5) a,	b = 2, 3, 5	0.7	1	
12	. What will be the value of the variable	e x after executin	g the following	Python statement?	
42.	x = 3 - 4 * 6 / 3 + 12 / 4 * 3	,			
		(3) -1.0	(4) 4.0	(5) 5.0	
	(1) 510 (2)		1	162	
43.	. What is the two's complement represent	tation of 89 ₁₀ ?			
	(1) 01111011 (2) 01011001	(3) 10100111	(4) 01001001	(5) 01011101	
	wat to Got City to the course should	ut onen sustema?			
44.	 Which of the followings is correct abo (1) All inputs required for an open sys 	stam is available v	within the system	itealf	
	(1) All inputs required for all open sys	other systems	vitiliii tile system	itseit.	
1	(2) Open systems cannot interact with(3) Open systems do not need other sy	outer systems.	rations		
		ystems for its oper	ations.		
	(4) Humans can make open systems.(5) All the natural systems are open systems.	ustams		No.	
	(5) All the natural systems are open sy	ystems.			
45.	. Which of the followings is not an app	lication of artificia	l intelligence?	The state of the s	
recent .	(1) Self-learning robots			ems for professionals	
1	(3) Smartphones	(4) Reco	ommender system	is on e-commerce plat	forms
	(5) Handwriting recognition systems			2.650	
			100 2c tout	atatamant2	
46.	. Which of the followings is correct with	n respect to the or	blee referred :-	the SOL statement	
	(1) It generates an error if no data is	available in the ta	bles referred in	the SQL statement.	
	(2) It is always a table.		ome on the oud	of attributes in the tabl	e definition
1	(3) The order of the attributes in the out	put snould be the s	ame as the order	or attributes in the tabl	deminion.

(4) Outputs cannot be produced if the primary keys are not defined.

(5) Names of the attributes in the output should be the same as the names in the table definition.

W. 14

7. The length of constraint.	an attribute de	fined using a	Data Definition		DDL) statement is a/an
	followings is t	the most ann	ropriate to fill t	ne blank in	the above statement?
			null value		
				(, , , , , , , , , , , , , , , , , , ,	(-) -FF-rounon
6. Consider the f	following table	in a relation	al database:	-	
	student	name	telephone	zscore	
	S0001	Dananjaya	0711118337	1.8	
	S0002	Saluka	0712227447	1.9	
		T.L.	0713333882	2.0	
	S0003	Upul	0/13333002	2.0	
	S0003 S0004	Priyankara	0714445225	1.9	
			and the second s		

49. Consider the following statements:

A - Software Agents are computer programs.

B - Some computer viruses could be considered as software agents.

C - All software agents have user interfaces. Which of the above statements is/are correct?

(1) A only

(2) A and B only (5) All A, B and C

(3) A and C only

(4) B and C only

50. Which of the following Python functions is syntactically incorrect?

(1) def fun(x,y): return x

(2) def fun(): return 5 (3) def fun(x,y): pass

(4) def fun: return 5 def fun(x,y=5): return y,x

Index No.:			மூன்று மணித்தியா Three hours *
Important :	Fo	r Examiner	's Use Only
* This paper consists of 06 pages.		For the Se	cond Paper
* This question paper comprises of two parts, Part A and Part B. The time allotted for	Part	Question No	
both parts is three hours.		1	2)
* Use of calculators is not allowed.		2	Talk sign at 1
7	A	3	
Part A - Structured Essay : (pages 2 - 4)	10	4	
* Answer all the questions on this paper itself.		1	A STATE OF
Write your answers in the space provided for	00	2	er lesto
each question. Note that the space provided is sufficient for your answers and that extensive	В	3	4
answers are not expected.		4	Today and
art B - Essay :	10.00	5	
(pages 5 - 6)		6	
* This part contains six questions, of which,		Total	C. C.
four are to be answered. Use the papers supplied for this purpose.	12	Fi	nal Marks
At the end of the time allotted for this paper,	In numb	ers	ŧ
tie the two parts together so that Part A is on top of Part B before handing them over to the Supervisor.	In words		
You are permitted to remove only Part B of the question paper from the Examination			Code Numbers
Hall.	Marking l	Examiner 1	
1	Marking I	Examiner 2	4
Hall.			
	Marks ch	ecked by:	

Part A - Structured Essay Answer all four questions on this paper itself.

Do not write in this column

			II III Come Press /	- 11
(i) <			blank">Cover Page	1
••				
(ii) <	a href="content.htm	nl">Content		13
(iii) <	a href="figures.htm	nl" target = " sel	If"> 	
(111)		_		
••			······································	. 1
				119
				4
Which	of the three mecha	nisms used to app	bly styles to HTML elements increases t	he maintainability
	eb site?	7		
Conside	er the following I	ITML code segm	nent:	
	<body></body>		12.10	
	7.7.7			4.4.
	I A TY			-245
		search engines		
	A search e	search engines engine maintains		
	A search e	and the second s		
Write t	A search e the internal styles	engine maintains		nts in the above
	A search e the internal styles egment.	engine maintains	three processes. ly the following styles for the eleme	nts in the above
Write t	A search e the internal styles egment. Element	required to apple Property	three processes. ly the following styles for the eleme Style	nts in the above
Write t	A search e the internal styles egment.	required to appl Property Colour	three processes. ly the following styles for the eleme Style Red	in the above
Write t	A search e the internal styles egment. Element h2	required to apple Property Colour Text	three processes. ly the following styles for the eleme Style Red Centre aligned	nts in the above
Write 1	A search e the internal styles egment. Element	required to appl Property Colour	three processes. ly the following styles for the eleme Style Red	ints in the above
Write t	A search e the internal styles egment. Element h2	required to apple Property Colour Text	three processes. ly the following styles for the eleme Style Red Centre aligned	nts in the above
Write t	A search e the internal styles egment. Element h2	required to appl Property Colour Text Font	three processes. ly the following styles for the eleme Style Red Centre aligned Courier New, 14 points high	
Write t	A search e the internal styles egment. Element h2	required to appl Property Colour Text Font	three processes. ly the following styles for the eleme Style Red Centre aligned Courier New, 14 points high	
Write t	A search e the internal styles egment. Element h2	required to appl Property Colour Text Font	three processes. ly the following styles for the eleme Style Red Centre aligned Courier New, 14 points high	
Write 1	A search e the internal styles egment. Element h2	required to appl Property Colour Text Font	three processes. ly the following styles for the eleme Style Red Centre aligned Courier New, 14 points high	
Write t	A search e the internal styles egment. Element h2	required to appl Property Colour Text Font	three processes. ly the following styles for the eleme Style Red Centre aligned Courier New, 14 points high	
Write t	A search e the internal styles egment. Element h2	required to appl Property Colour Text Font	three processes. ly the following styles for the eleme Style Red Centre aligned Courier New, 14 points high	
Write t	A search e the internal styles egment. Element h2	required to appl Property Colour Text Font	three processes. ly the following styles for the eleme Style Red Centre aligned Courier New, 14 points high	
Write 1	A search e the internal styles egment. Element h2	required to appl Property Colour Text Font	three processes. ly the following styles for the eleme Style Red Centre aligned Courier New, 14 points high	

,		Helia .		- 3 -	විගාග අංකය:		all Edward
	නොවන බව උප යෝජනා කළේ අ	කල්පනය කරන්න.	ඔබගේ පරණ කැරි ඩවියක් හරහා අපි	මරාව අන්තර්ජා කානු රටක ගැ	භාවිත කළ කැමරාව අ ලය ඔස්සේ විකිණිය හැ ණුම්කරුවකුට එය විකිණි ග ඔබට ලැබුණි.	කි බව යහළුවකු	මේ තීරයේ කිසිවක් නොමීගන්න
					සඳහා උදාහරණය බැහිප	් ලියා දක්වන්න.	
	B2C:						
				#E #***********************************			19
							. 1
	(ආ) මෙවැනි ග	නුදෙනු සඳහා Payr					
				••••••			
	(-)		30	9 49 49	lak e d	9 4 400	
				9/1	ඛුණුමකටැවන්ගෙන් මාර්		
		අකමැත්තක් දක් දෙන්න. (1)		00	තේ ලියා එක් එක් ලෙහ්තු		
H	1						

1			2000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
The second second							
)							
)							
)	3. (q)	(2) අභාපාවකාශ නැව කරමින් ජලය (H ₂	ිතුම්පොළක් (Spac O), ඔක්සිජන් (O ₂)	ce Station) එහි සහ හයිඩුජන් (I		ටින් ිලබාදෙන වී. මෙන් එහි සිටින ග	දුලිය භ ගනගාම්
)	3. (q)	අභාපාවකාශ නැවි කරමින් ජලය (H ₂ අවශා ඔක්සිජන් ජලය → හයිඩුජන	ිතුම්පොළක් (Spac O), ඔක්සිජන් (O ₂) (O ₂) උත්පාදනය ක ් + ඔක්සිජන් (2 F	ze Station) එහි සහ හයිඩුජන් (I හරයි. මෙම කිය I ₂ O →2H ₂ + O	ඇති විදයුත් කෝෂ මරි H ₂) වලට විභේදනය කිරී ාවලිය පහත සමීකරණය ₂)	වින්ිලබාදෙන වී. මෙන් එහි සිටින ග මගින් ලබා දෙයි	දුලිය භ ගනගාමී).
)	3. (q)	අභාපාවකාශ නැවි කරමින් ජලය (H ₂ අවශා ඔක්සිජන් ජලය → හයිඩුජන ගගනගාමින් විසිෘ	ිතුම්පොළක් (Spac O), ඔක්සිජන් (O ₂) (O ₂) උත්පාදනය ක ් + ඔක්සිජන් (2 I හ් පුාශ්වාස කරන (ce Station) එහි සහ හයිඩුජන් (I හරයි. මෙම කුිය I ₂ O →2H ₂ + O ලද කාබන්ඩයෙ	ඇති විදයුත් කෝෂ මරි 1 ₂) වලට විභේදනය කිරී ාවලිය පහත සමීකරණය	වින්ිලබාදෙන වී. මෙන් එහි සිටින ග මගින් ලබා දෙයි ත කිුයාවලියේ දී	දුලිය භ ගනගාම් j. උත්පාද
	3. (q)	අභා‍‍යාචිකාශ නැම් කරමින් ජලය (H ₂ අවශා ඔක්සිජන් ජලය → හයිඩුජන් ගගනගාමීන් විසිෘ වන හයිඩුජන් එක හයිඩුජන් + කාබෘ	ාතුම්පොළක් (Spac O), ඔක්සිජන් (O ₂) (O ₂) උත්පාදනය ක ් + ඔක්සිජන් (2 I න් පුාශ්චාස කරන (ටේ එකතුකොට පහා ත්ඩයොක්සයිඩ් → ජ	ාe Station) එහි සහ හයිඩුජන් (I හේයි. මෙම කිුය අද කාබන්ඩයෙ හ සමීකරණයට ජලය + මීතෙන්	ඇති විදසුත් කෝෂ මරි H ₂) වලට විභේදනය කිරී වෙලිය පහත සමීකරණය 2 ⁾ කේසයිඩ් (CO ₂) සහ ඉහ	ින් ලබාදෙන වී. මෙන් එහි සිටින ග මගින් ලබා දෙයි ත කිුයාවලියේ දී මීතේන් (CH ₄) බව	දුලිය භ ගනගාම් j. උත්පාද
	3. (q)	(2)	ාතුම්පොළක් (Spac (O), ඔක්සිජන් (O₂) (O₂) උත්පාදනය ක ් + ඔක්සිජන් (2 I ත් පුාශ්වාස කරන (ටේ එකතුකොට පහා ත්ඩයොක්සයිඩ් → ජ ද මීතේන් අඟුරු වෙ	ා Station) එහි සහ හයිඩුජන් (I හරයි. මෙම කිය 1 ₂ O →2H ₂ + O ලද කාබන්ඩයෙ ත සමීකරණයට ්ලය + මීතෙන් පරනයන් යොද	ඇති විදාපූත් කෝෂ මණි I ₂) වලට විතේදනය කිරීග වෙලිය පහත සමීකරණය ₂) ාක්සයිඩ් (CO ₂) සහ ඉහ අනුව ජලය (H ₂ O) සහ ණි (4H ₂ + CO ₂ → 2H ₂ O •	ින් ලබාදෙන වී. මෙන් එහි සිටින ග මගින් ලබා දෙයි ත කිුියාවලියේ දී මීතේන් (CH ₄) බව + CH ₄)	දුලිය භ ගනගාඡ් ා. උත්පාර ට පත්ස
	3. (q)	අභාෂාවකාශ නැවි කරමින් ජලය (H ₂ අවශා ඔක්සිජන් ජලය → හයිඩුජන ගගනගාමීන් විසිදු වන හයිඩුජන් එක හයිඩුජන් + කාබස ජනනය කරන ලං	ාතුම්පොළක් (Spac (O), ඔක්සිජන් (O₂) (O₂) උත්පාදනය ක ් + ඔක්සිජන් (2 I ත් පුාශ්වාස කරන (ටේ එකතුකොට පහා ත්ඩයොක්සයිඩ් → ජ ද මීතේන් අඟුරු වෙ	ා Station) එහි සහ හයිඩුජන් (I හරයි. මෙම කිය 1 ₂ O →2H ₂ + O ලද කාබන්ඩයෙ ත සමීකරණයට ්ලය + මීතෙන් පරනයන් යොද	ඇති විදයුත් කෝෂ මේ H ₂) වලට විතේදනය කිරී වෙලිය පහත සමීකරණය වූ) කේසයිඩ් (CO ₂) සහ ඉහ අනුව ජලය (H ₂ O) සහ ේ (4H ₂ + CO ₂ → 2H ₂ O - මෙගන ඉවත් කරයි.	ින් ලබාදෙන වී. මෙන් එහි සිටින ග මගින් ලබා දෙයි ත කිුියාවලියේ දී මීතේන් (CH ₄) බව + CH ₄)	දුලිය භ ගනගාමී උත්පාද ට පත්ස
	3. (q)	අභාෂාවකාශ නැවි කරමින් ජලය (H ₂ අවශා ඔක්සිජන් ජලය → හයිඩුජන ගගනගාමීන් විසිදු වන හයිඩුජන් එක හයිඩුජන් + කාබස ජනනය කරන ලං	ාතුම්පොළක් (Spac (O), ඔක්සිජන් (O₂) (O₂) උත්පාදනය ක ් + ඔක්සිජන් (2 I ත් පුාශ්වාස කරන (ටේ එකතුකොට පහා ත්ඩයොක්සයිඩ් → ජ ද මීතේන් අඟුරු වෙ	ා Station) එහි සහ හයිඩුජන් (I හරයි. මෙම කිය 1 ₂ O →2H ₂ + O ලද කාබන්ඩයෙ ත සමීකරණයට ්ලය + මීතෙන් පරනයන් යොද	ඇති විදයුත් කෝෂ මේ H ₂) වලට විතේදනය කිරී වෙලිය පහත සමීකරණය වූ) කේසයිඩ් (CO ₂) සහ ඉහ අනුව ජලය (H ₂ O) සහ ේ (4H ₂ + CO ₂ → 2H ₂ O - මෙගන ඉවත් කරයි.	ින් ලබාදෙන වී. මෙන් එහි සිටින ග මගින් ලබා දෙයි ත කිුියාවලියේ දී මීතේන් (CH ₄) බව + CH ₄)	දුලිය භ ගනගාමී උත්පාද ට පත්ස
		අභාෂාවකාශ නැවි කරමින් ජලය (H ₂ අවශා ඔක්සිජන් ජලය → හයිඩුජන ගගනගාමීන් විසිදු වන හයිඩුජන් එක හයිඩුජන් + කාබස ජනනය කරන ලං	ාතුම්පොළක් (Spac (O), ඔක්සිජන් (O₂) (O₂) උත්පාදනය ක ් + ඔක්සිජන් (2 I ත් පුාශ්වාස කරන (ටේ එකතුකොට පහා ත්ඩයොක්සයිඩ් → ජ ද මීතේන් අඟුරු වෙ	ා Station) එහි සහ හයිඩුජන් (I හරයි. මෙම කිය 1 ₂ O →2H ₂ + O ලද කාබන්ඩයෙ ත සමීකරණයට ්ලය + මීතෙන් පරනයන් යොද	ඇති විදයුත් කෝෂ මේ H ₂) වලට විතේදනය කිරී වෙලිය පහත සමීකරණය වූ) කේසයිඩ් (CO ₂) සහ ඉහ අනුව ජලය (H ₂ O) සහ ේ (4H ₂ + CO ₂ → 2H ₂ O - මෙගන ඉවත් කරයි.	ින් ලබාදෙන වී. මෙන් එහි සිටින ග මගින් ලබා දෙයි ත කිුියාවලියේ දී මීතේන් (CH ₄) බව + CH ₄)	දුලිය භා ගනගාමී උත්පාද ට පත්ක
		අභාෂාවකාශ නැවි කරමින් ජලය (H ₂ අවශා ඔක්සිජන් ජලය → හයිඩුජන ගගනගාමීන් විසිදු වන හයිඩුජන් එක හයිඩුජන් + කාබස ජනනය කරන ලං	ාතුම්පොළක් (Spac (O), ඔක්සිජන් (O₂) (O₂) උත්පාදනය ක ් + ඔක්සිජන් (2 I ත් පුාශ්වාස කරන (ටේ එකතුකොට පහා ත්ඩයොක්සයිඩ් → ජ ද මීතේන් අඟුරු වෙ	ා Station) එහි සහ හයිඩුජන් (I හරයි. මෙම කිය 1 ₂ O →2H ₂ + O ලද කාබන්ඩයෙ ත සමීකරණයට ්ලය + මීතෙන් පරනයන් යොද	ඇති විදයුත් කෝෂ මේ H ₂) වලට විතේදනය කිරී වෙලිය පහත සමීකරණය වූ) කේසයිඩ් (CO ₂) සහ ඉහ අනුව ජලය (H ₂ O) සහ ේ (4H ₂ + CO ₂ → 2H ₂ O - මෙගන ඉවත් කරයි.	ින් ලබාදෙන වී. මෙන් එහි සිටින ග මගින් ලබා දෙයි ත කිුියාවලියේ දී මීතේන් (CH ₄) බව + CH ₄)	දුලිය භා ගනගාමී උත්පාද ට පත්ක


in the second se	
<u>-</u>	
<u> </u>	
<u> </u>	
\$\vec{1}{2}	
5 5	
ीं जि	
36	
44	
11	
Justify your answer.	
Justiny your many	
1 de	
·	
. j.k.	
7 365 	
number of statements,	to
X	
	•
- 12	
,	.
	umber of statements,



Part B

- * Answer any four questions only.
- 1. The top secret recipe for making milk rice at the restaurant chain SLFC is kept in an electronic safe at their head office. The lock (L) of the safe can either be in locked or unlocked states represented by logical truth values 0 and 1 respectively. This lock has three different key holes K1, K2 and K3 each with a unique key. These three keys are in the custody of three directors of SLFC. The lock opens when at least two keys are inserted into the corresponding key holes. The situation where the corresponding key is properly inserted into any key hole is represented by the logical truth value 1 and all the other situations are represented by the logical truth value 0.

Assuming that only the following Integrated Circuits (ICs) are available, construct a logic circuit to operate the lock (L) of the safe, by using the truth tables and Boolean algebra. Clearly show the truth tables, Boolean expressions and the Boolean algebraic rules used to construct your circuit.



- 2. There are two Local Area Networks (LANs) L1 and L2 which are connected only by a router R. These LANs are not connected to any other networks. Machines P and Q are connected to LANs L1 and L2 respectively. The machine P has successfully delivered an IP packet IP1 to machine Q.
 - In a LAN, an IP packet is sent from the source device to the destination device by inserting it into a frame, generated in the data link layer at the source device. In that LAN, source and destination devices are uniquely identified by the MAC addresses in that frame.
 - An IP address is recognized by the network layer but it is not recognized by the data link layer.
 - (a) Draw a network diagram to depict the network described above using commonly used symbols and notations.
 - (b) State whether the destination IP address of the packet IP1 is the IP address of Q or R when it is going through LAN L1. Justify your answer.
 - (c) Assume that the IP packet IP1 was in a frame F2 in LAN L2. State whether the source MAC address of frame F2 is the MAC address of P or R. Justify your answer.

- 3. The management of the Siri Lak bank has decided to develop a web portal to deliver personalized services to its employees. The services include, access banking plans, regulations and policies, register for learning opportunities provided by the bank, quick search, weather reports, communicate with other employees and leave and loan related services. According to the chief information officer of the bank, the primary goal of developing the portal is to enable its employees to manage their personal lives more easily.
 - (a) What is the e-commerce type of the services provided by the above web portal? Justify your answer.
 - (b) State two potential benefits obtainable to the employees from the above portal.
 - (c) The management of the bank expects that they could get a better service from their employees after implementing the proposed portal. Do you agree with this idea? Justify your answer.
 - (d) A consultant suggests to implement a 'personal user assistant agent' based on the intelligent agent technology to improve the services of the above web portal. State three possible ways to improve the services of the above web portal by such an agent.
- 4. A canteen of a school sells 10 different types of foods. These food types are placed in a shelf. Students can select foods while walking alongside the shelf and keep them on a tray. These trays are available at the entrance of the canteen. A student, after selecting the food, should proceed to the cashier with the food tray for the payment.

You are asked to develop a computer program to calculate the payment due for a food tray. For this purpose, each food type is given a unique integer from 1 to 10.

The integer value assigned for each food type and its unit price is shown in the following table.

Food type	1	2	3	4	5	6	7	8	0	10
Unit price (Rs)	10.00	12.00	15.00	10.00	25.00	45.00	50.00	25.00	10.00	10
			250.5	.0.00	25.00	45.00	30.00	25.00	10.00	12.00

- (a) State all the inputs required for the computer program and its expected output.
- (b) Draw a flowchart to represent the algorithm required to compute the payment due for a food tray.
- (c) Transform the above flowchart into a Python program.
- 5. An education institute maintains a timetable to manage its lectures, practical classes and seminars. The timetable consists of two hour time periods: 8.00 a.m. 10.00 a.m., 10.00 a.m. 12.00 noon, 1.00 p.m. 3.00 p.m. and 3.00 p.m. 5.00 p.m. Lectures, practical classes and seminars are assigned to one or more time periods. A lecture is assigned to a lecturer and a practical class is conducted by a group of demonstrators. At least two lecturers are responsible for a seminar.

Draw an Entity Relationship (ER) diagram for the above system. State all your assumptions clearly.

6. Draw a context diagram to show the operations of the online assignment management system described below adhering to the standards of the Structured System Analysis and Design Methodology (SSADM). Clearly indicate external entities and data flows of your diagram. State any assumptions that you have made.

The National University of ICT (NUICT) conducts distance learning programs. The students of NUICT are continuously assessed through online assignments. The students of NUICT use an online assignment management system called NetAssign to download assignments and upload answer scripts. The examiners use NetAssign to upload assignments and to download answer scripts. Once the answer scripts are marked, the examiners enter marks into NetAssign. The students can view only the grades determined by NetAssign. To use NetAssign, both examiners and students must provide authentication details to the system. These authentication details are provided by NUICT to its students and examiners.

* * *