
ದಿಡ್ತ © හිමිකම් ඇව්රිණි] முழுப் பதிப்பரிமையடையது] All Rights Reserved]

தே ஒவை திலை கோடுகள்களு பிறைகள் காடுக்கு கிணைக்களம் / Department of Examinations, Sri Lanka

Open Competitive Examination for Recruitment to Class 2 Grade II of Sri Lanka Information and Communication Technology Service - 2015

(01) Information and Communication Technology

Two hours



[See page two

-	
•	For questions from No. 1 to 50, select the correct or the most appropriate answer and write the number of the relevant choice on the dotted line provided against the question.
1.	<ul><li>Which of the following is correct with respect to L1 cache memory?</li><li>(1) It always resides in RAM.</li><li>(2) It always resides in CPU.</li></ul>
	<ul><li>(3) It comes in between registers and RAM.</li><li>(4) It is an external device. ()</li></ul>
2.	The memory that can be accessed by a processor having 32-bit address bus is(1) 2KB(2) 2GB(3) 4GB(4) 32GB()
3.	Communication between a computer and a keyboard involves
4.	is an operating system used in mobile phones.(1) CentOS(2) Android(3) Fedora(4) SSP()
5.	Consider the following freely available office suites. A - Apache OpenOffice
	B - Google Docs C - LibreOffice Which of the above are 'open course Software'?
	Which of the above are 'open source Software'? (1) A and B only (2) A and C only (3) B and C only (4) All A, B and C ()
6.	The facility that looks for hidden contents, other information and properties that might create compatibility issues in an MS Word document is, (1) backstage view. (2) inspect document.
	(3) track changes. (4) check compatibility. ()
7.	Which of the following object can't be inserted to a MS Word document?(1) bit map image(2) hyperlink(3) header(4) e-mail message()
8.	The facility in MS Excel to step through each part of the formula individually is called (1) trace precedents. (2) watch window.
	(3) error checking. (4) evaluate formula. ()
9.	called,
	(1) a ghost field.(2) a calculated field.(3) a source field.(4) a dynamic field.()
10.	
	A - =CONCATENATE (A4, "", B4)         B - =SUM (A4, B4)         C - =A4&" "&B4         Sthija         Siriwardhane         Sithija         Siriwardhane         Sithija         Siriwardhane         Sithija         Siriwardhane
	Which of the above will you select to enter in C4 to get the Full Name, using the First Name and Last Name you have already entered in A4 and B4 as shown in the figure. (1) A and B only. (2) B and C only. (3) A and C only. (4) All A, B and C. ()
11.	What can you do when saving a Powerpoint presentation if you have to show it in a computer
	which may not have the same font you used to create this presentation? (1) check compatibility (2) font embedding
	(3) check accessibility (4) font replacement ()


- 2 -

[See page three

-

R.

.



	- 4 -	
19.	Consider the following integrity constraints.	
	A – Primary key	
	B – Foreign key	
	C – Unique	
	D – Not duplicate	
	Which of the above avoid data duplication?	
	(3) A and D only (4) All A,B,C and D	()
20.	A primary key of a relational database table can be replaced by an attribute available in	n
	(1) Candidate key. (2) Alternate key. (3) Composite key. (4) Foreign key.	()
21.	A and B are attributes of a composite key. If, only the attribute B decides a non-key	
	attribute C, there is,	
	(1) transitive dependency (2) partial dependency	
	(3) internal dependency (4) external dependency	()
22	The SOL statement which adds a table into a database is	
LL.	The SQL statement which adds a table into a database is	
	(1) MAKE TABLE. (2) ALTER TABLE.	<i>(</i> )
	(3) DEFINE TABLE. (4) CREATE TABLE.	()
23.	The SQL statement DROP TABLE,	
	(1) deletes only the structure of a table. (2) deletes all the data and structure of a table.	
	(3) creates an error. (4) deletes the first attribute.	()
		()
24.	To which layer of the OSI model of data communication systems does the router belong?	
	(1) application layer (2) network layer (3) session layer (4) physical layer	()
25.	Select the answer that contains the layers of OSI model arranged in the correct order.	
	(1) application layer, session layer, network layer	
	(2) network layer, data link layer, physical layer	
	(3) physical layer, network layer, data link layer	
	(4) network layer, physical layer, data link layer	()
26.	What is the correct order in data encapsulation?	
	(1) data, frame, segment, packet. (2) data, segment, frame, packet.	
	(3) data, segment, packet, frame. (4) frame, packet, segment, data.	()
27	What material holes to find the handware address of a local derivative in a standard	
27.	What protocol helps to find the hardware address of a local device in a network?	
	(1) RARP (2) ARP (3) IP (4) ICMP	()
28	Which of the following is true with respect to IP address?	
20.		
	(1) It identifies the computer uniquely.	
	(2) It is used by the transport layer.	
	(3) It identifies the connection to a network uniquely.	
	(4) It helps the data link layer to check transmission errors.	()
20	Which of the following is true with respect to 'a frame' in a computer network?	
2).	(1) It helps error checking at the application layer.	
	(2) It contains only one packet.	
	(3) A data packet can have one or more frames.	
	(4) It is used by the data link layer to check communication errors.	()
30	Which of the following is true with respect to TCP/IP based Intranet?	
50.		
	(1) It always assures the delivery of data to the destination.	
	(2) It can be considered as a fault-tolerant system.	
	(3) It provides a dedicated physical connection between the server and the destination.	×
	(4) Data transmission is impossible between a TCP/IP based intranet and a Novel	41 a.
	Netware Intranet.	()
-		

[See page five

ſ	Open Competitive Examination for Recruitment to Class 2 Grade II of Sri Lanka Information and Communication Technology Service - 2015 (01) Information and Communication Technology	- 5	Inde	x No. :	
31.	Which of the following is correct with re- encryption?	spect	to public and private	keys used in data	
	(1) Data encrypted by private key of a sen receiver.				
	(2) Data encrypted by public key of the private key.				
	<ul><li>(3) Data should be encrypted using sende using receiver's public key.</li></ul>				
	<ul><li>(4) Sender's private key should be used for its private key.</li></ul>	encr	yption so that the receiv	er can decrypt using	()
32.	Which of the following is correct with regar networks?	d to	MD5 and SHA protoco	ols used in computer	
	<ol> <li>(1) Data encrypted using MD5 cannot be</li> <li>(2) Both MD5 and SHA can be used for</li> </ol>	data	encryption only.		
	<ul><li>(3) Both MD5 and SHA can be used for</li><li>(4) Data encrypted using SHA cannot be of</li></ul>				()
33.	Data sent by a sender having IP address the network.	wi	ill not be proceeded by	the routers outside	
	<ul> <li>(1) 172 . 16 . 4 . 10</li> <li>(3) 192 . 248 . 1 . 2</li> </ul>		192 . 248 . 24 . 15 248 . 168 . 2 . 4		()
34.	DNS is normally used to	( <b>2</b> )	aaaha wah pagag		
	<ul><li>(1) convert domain name into IP address.</li><li>(3) find the target network.</li></ul>		find the next hop.		()
35.	The Bus topology is physically implemented(1) star(2) complete			a topology. hybrid	()
36.	Hyper-text is a text dealt with(1) links.(2) images.	(3)	audio/video. (4)	tables.	()
37.	Which of the following is a protocol related (1) HTTP (2) SMTP		FTP (4)	ТСР	()
38.	WWW is a collection of (1) hyperlinked documents.	(2)	databases.		
	<ul><li>(3) documenting tools.</li></ul>		web servers.		()
	Which of the following is used to test the c internet?	conne			
	(1) ping (2) telnet			rlogin	()
40.	Which of the following is a valid network I (1) 192.248.0.0 (2) 192.248.24.0			170.212.3.0	()
41.	What is the true statement with respect to so (1) The sender machine knows the existence of (2) The sender and the receiver machines are of (3) The sender knows the availability of the er (4) Mail will always be immediately sent to the	of the on-lin mail s	e receiver machine. ne server.		(
42.	WAMP is used to		erver.		()
	(1) send emails.		send SMS. scan email for viruses.		()

~

43.	Which of the following is a major weakness in Waterfall model of system development? (1) Process invisibility.	
	<ul><li>(2) It does not support project management.</li><li>(3) It requires well defined set of requirements to begin with.</li></ul>	
	(4) Resource management is difficult. (	)
44.	Which of the following SDLC model does not support process iteration?(1) waterfall(2) agile(3) spiral(4) RAD	)
45.	<ul> <li>The objectives of unit testing is to assure that</li></ul>	)
46.	Consider the following stakeholders of a software development project A - programmer B - system analyst C - client Who is/are involved in the acceptance testing? (1) A and B only (2) A and C only (3) B and C only (4) All A, B and C (	)
47.	Consider the following diagrams. A - Structural diagram B - Data flow diagram C - Use case diagram Which of the above represent the diagrams available in UML? (1) A and B only (2) B and C only (3) A and C only (4) All A, B and C (	)
• 48.	Consider the following user requirements for a mobile phone to answer questions 48 - 50. A - A user shall be able to make a call B - A user should be able to receive a call C - The weight of the phone shall not exceed 500g Which of the above represent the functional requirement(s)? (1) A and B only (2) A and C only (3) B and C only (4) all A, B and C (	)
49.	What is/are (a) non-functional requirement(s)?(1) A only(2) B only(3) C only(4) A and B only(	
50.	What is/are (a) mandatory functional requirement(s)?(1) A only(2) B only(3) C only(4) A and B only()	)
•	Write the answers to questions from No. 51 to 65 in the spaces provided.	
51.	Write the possible range in decimal if the integers are represented using sign magnitude representat in 16 bits.	ion
		•
52.	Convert 16.16625 <sub>10</sub> into Octal representation.	
	[See page seven	5

- 6 -

8.

53.			ach of the followi	ng metric	cs used to	measu	are the perfo	ormance of the Cent	ral Processing
		(CPU). Throughpu	ıt						
	(ii)	Turnaroun	d time						
	(11)	, united out							
	(:::)	Desmanas	••••••	•••••	•••••		• • • • • • • • • • • • • • • • • • • •		
	(111)	Response	ume				•••••		•••••••
				•••••					
			••••••		•••••	•••••			••••
54.	CPU	burst time	for four processe	es P1, P2,	P3 and 1	P4 are	given below	W.	
			Process	P1	P2	P3	P4		
			CPU burst time	20	4	3	6		
		late the ave luling.	erage turnaround t	ime for a	a process	when	5 ms time q	uantum is given to	Round Robin
	Schee	iuiiig.							
		•••••			•••••	• • • • • • • • • • •	•••••		
	•••••	•••••			•••••				
	•••••			•••••	••••	• • • • • • • • • •			
	•••••	•••••			•••••				
	•••••			•••••	•••••	• • • • • • • • • • •			
	•••••		••••••			•••••			
-	•••••								
55.	Consi	der the 'EN	IPLOYEE' table	given be	low.				
		EMP	No EMP Na	me	Designat	ion	Departme	at Basic Salary	
		E 001	Perera	M	lanager		FIN	51 000	
		E 002	Alwis	С	lerk		FIN	33 000	
		E 003	Nimal		lerk		ACC	30 000	
		E 004	Silva	E	ngineer		PROD	50 000	
	Write	SQL staten	nents for each of	the follo	owing rec	quireme	ents.		
	(i)	To add a 1	new employee wit	th the de	etails give	en in t	he order, E	007, Amal, Sys. Eng	, IT,50 000.
	(ii)	To get the	all details of all	the emp	loyees ha	aving a	Basic Sala	ry of Rs. 40000 o	r higher.
	(iii)	To get the	number of emplo	oyees and	the tota	l of b	asic salary (	of each branch.	
	The Party of Street					•••••			

[See page eight

56.	Briefly	fly explain the following terms with respect to a database.					
	(i)	Partial dependency					
	(ii)	Transitive dependency					
57	Given	below is a table with details of a certain medical institute.					

Treatment Patient No. Patient Name. Treatment Charge (Rs.) Date 10.02.2015 1005 Nimal Perera Blood Test 200.00 1210 Deepika Nilmini Urine Test 300.00 11.02.2015 1403 450.00 12.02.2015 Sanjaya Alwis X - ray 1005 Nimal Perera X - ray 450.00 12.02.2015 1005 Nimal Perera Urine Test 300.00 12.02.2015 1005 Nimal Perera Allergy Test 500.00

(i) What is the present normal form of the above table? Justify your answer.

.....

(ii) Normalize the above table to 3NF.

.....

58. Assume that the network address assigned to your company is 192.150.111.0.         (i) If the subnet mask is 252525225224, find the answers to the below, mentioning the steps clear         (a) The number of usable sub-nets	-			
(ii) If these sub-nets are named consecutively as A.B.C, find the subnets to which the followin IP addresses can be assigned.         (a) 192.150.111.10       (b) 192.150.111.200         (c) 192.150.111.20       (f) 192.150.111.200         (e) 192.150.111.20       (f) 192.150.111.251	58.	(i) If the	e subnet mask is 255.255.255.224, find the answers to	
(ii) If these sub-nets are named consecutively as A.B.C, find the subnets to which the followin IP addresses can be assigned.         (a) 192.150.111.10       (b) 192.150.111.200         (c) 192.150.111.20       (f) 192.150.111.200         (e) 192.150.111.20       (f) 192.150.111.251				
(ii) If these sub-nets are named consecutively as A.B.C, find the subnets to which the followin IP addresses can be assigned.         (a) 192.150.111.10       (b) 192.150.111.200         (c) 192.150.111.20       (f) 192.150.111.200         (e) 192.150.111.20       (f) 192.150.111.251				
(ii) If these sub-nets are named consecutively as A.B.C, find the subnets to which the followin IP addresses can be assigned.         (a) 192.150.111.10       (b) 192.150.111.200         (c) 192.150.111.20       (f) 192.150.111.200         (e) 192.150.111.20       (f) 192.150.111.251				
(ii) If these sub-nets are named consecutively as A.B.C, find the subnets to which the followin IP addresses can be assigned.         (a) 192.150.111.10       (b) 192.150.111.200         (c) 192.150.111.20       (f) 192.150.111.200         (e) 192.150.111.20       (f) 192.150.111.251				
(ii) If these sub-nets are named consecutively as A.B.C, find the subnets to which the followin IP addresses can be assigned.         (a) 192.150.111.10       (b) 192.150.111.200         (c) 192.150.111.20       (f) 192.150.111.200         (e) 192.150.111.20       (f) 192.150.111.251				
IP addresses can be assigned.         (a) 192.150.111.10       (b) 192.150.111.66         (c) 192.150.111.100       (d) 192.150.111.200         (e) 192.150.111.220       (f) 192.150.111.251		(b)	The number of hosts and the address ranges for e	each of the above sub-nets
IP addresses can be assigned.         (a) 192.150.111.10       (b) 192.150.111.66         (c) 192.150.111.100       (d) 192.150.111.200         (e) 192.150.111.220       (f) 192.150.111.251				
IP addresses can be assigned.         (a) 192.150.111.10       (b) 192.150.111.66         (c) 192.150.111.100       (d) 192.150.111.200         (e) 192.150.111.220       (f) 192.150.111.251				
IP addresses can be assigned.         (a) 192.150.111.10       (b) 192.150.111.66         (c) 192.150.111.100       (d) 192.150.111.200         (e) 192.150.111.220       (f) 192.150.111.251				
IP addresses can be assigned.         (a) 192.150.111.10       (b) 192.150.111.66         (c) 192.150.111.100       (d) 192.150.111.200         (e) 192.150.111.220       (f) 192.150.111.251				
IP addresses can be assigned.         (a) 192.150.111.10       (b) 192.150.111.66         (c) 192.150.111.100       (d) 192.150.111.200         (e) 192.150.111.220       (f) 192.150.111.251				
IP addresses can be assigned.         (a) 192.150.111.10       (b) 192.150.111.66         (c) 192.150.111.100       (d) 192.150.111.200         (e) 192.150.111.220       (f) 192.150.111.251				
IP addresses can be assigned.         (a) 192.150.111.10       (b) 192.150.111.66         (c) 192.150.111.100       (d) 192.150.111.200         (e) 192.150.111.220       (f) 192.150.111.251				
IP addresses can be assigned.         (a) 192.150.111.10       (b) 192.150.111.66         (c) 192.150.111.100       (d) 192.150.111.200         (e) 192.150.111.220       (f) 192.150.111.251				
(c) 192.150.111.200 (e) 192.150.111.220 (f) 192.150.111.251 				ind the subnets to which the following
(e) 192.150.111.220 (f) 192.150.111.251				
59. Compare IPv4 and IPv6 in point form.				
		(e)	192.150.111.220 (f) 192.150.111.2	51
		••••••		
		••••••		
	59.	Compare IPv	v4 and IPv6 in point form.	
		•••••		
10 an and 10				
		<u></u>		
Non-marine from 1				/6

60.	Transmission Control Protocol (TCP) and User Datagram Protocol (UDP) are two data transmission protocols. Briefly explain when is it appropriate to use each of them giving suitable examples.
61.	Briefly explain the following
	(i) Phishing
	(i) Pharming
	(i) Spoofing
62.	Info books is a book sales enterprise. A page from its web site is given below.
	(i) Write the HTML code to display the index.html when the 'Home' button is clicked.
-	[See page eleven

· ;

$\square$		
	(ii)	In the subfolder 'image' locator in the folder 'web', where the index.html is saved, the logo of the enterprise is saved as Books.jpg. Write the HTML code to show this logo.
-		
	(iii)	Complete the following xml code to show the titles and the price of books in the table of this web page. <xml version="1.0"></xml>
63	Menti	on three possible security threats to a computer network.
001		on ande possiole seeming aneas to a compater network.
	•••••	
	•••••	
	•••••	
64.	Descri	be briefly two precautions to avoid the security threats you mentioned in question 64 above.
	•••••	
-	•••••	

65. A soft drinks manufacturing company issues soft drinks to retail sellers once a week. Sellers should have been registered with the company to buy soft drinks. Sellers usually place orders for soft drinks at the order clerk over the phone. A single seller can make several orders per week. Orders are confirmed only if stocks exist. Or else, alternatives are agreed upon. The order clerk sends copies of the orders to the stores and the cashier. When payments are settled, invoice is issued by the cashier in two copies, one for the stores and the other for the seller. The stores issue goods to the seller together with a goods issue notice to be produced at the gate.

\* \* \*

Create the level-0 DFD to represent the above data and processes.